

CAMSO CMP 533



SOIL COMPACTORS



COMPACTION PERFORMANCE AND DURABILITY SOLUTION

Designed to provide heavy-duty compaction performance and durability. Enhances side-impact resistance and minimizes both ground pressure and damage when used in paving applications.

camso.co

PERFORMANCE

TIRE LIFE




PUNCTURE RESISTANCE



TRACTION



CAMSO CMP 533



OPTIMIZED TREAD PATTERN

- Minimizes ground pressure and damage for better compaction performance

ROBUST CARCASS DESIGN

- Enhances side impact resistance for fewer flats




FLATTER TREAD PROFILE

- Ensures even tread wearing for greater durability

ENGINEERED TREAD PROFILE WITH HAULER STEPS AND SHOULDER LUGS

- Enhances traction for improved performance

TIRE SIZE	PR	INFLATION PRESSURE [bar] [PSI]	TT/ TBLS	VALVE	RIM SIZE		ACTUAL TIRE DIMENSIONS			LOAD INDEX	SPEED SYMBOL	TRA CODE	LOAD CAPACITY [kg] [lb]	
					Recommended	Alternative	O.D. [mm] [in]	O.W. [mm] [in]	O.T.D. [mm] [32nd]				10 km/h 6 mph	15 km/h 9 mph
23.1-26 IND	12	1.9	TBLS	V5-15-1	DW20B	DW20A; TW20B	1555	611,0	26,5	162	A8	R-3	5940	5370
		27					388,8	24,1	34				13100	11850



- CAMSO CMP 533
- COMPETITOR 1
- COMPETITOR 2

With premium rubber compounds and enhanced tread depth, the Camso CMP 533 offers increased tread life and durability over some key competitors.

AUTHORIZED DISTRIBUTOR:

camso.co

